MYCOTAXON

ISSN (print) 0093-4666 (online) 2154-8889 Mycotaxon, Ltd. ©2017

January–March 2017—Volume 132, pp. 149–152

http://dx.doi.org/10.5248/132.149

Colletotrichum fioriniae comb. & stat. nov., resolving a nomenclatural muddle

Shaun R. Pennycook

Landcare Research Manaaki Whenua
Private Bag 92 170, Auckland, New Zealand

Correspondence to: *PennycookS@LandcareResearch.co.nz*

Abstract—The widely used name "*Colletotrichum fioriniae*", published in 2009, is invalid; it is neither a valid new combination for "*Colletotrichum acutatum* var. *fioriniae*" (itself invalid) nor a valid new name, because no Latin diagnosis or description was presented or referenced. With the abolition of "dual nomenclature" (the separate nomenclatures of teleomorphs and anamorphs) under the current International Code of Nomenclature, it is now possible to publish *Colletotrichum fioriniae* as a new combination based on *Glomerella acutata* var. *fioriniae*, the only validly published name for this taxon.

Key words—*Glomerellaceae*, *Glomerella fioriniae*, *Colletotrichum acutatum* group A3, *Colletotrichum acutatum* group C

Introduction

Glomerella acutata var. *fioriniae* was proposed with an accompanying Latin diagnosis by Marcelino et al. (2008), together with an asexual morph, "*Colletotrichum acutatum* var. *fioriniae*". In 2008, the then current International Code of Botanical Nomenclature (ICBN (Vienna); McNeill et al. 2006: Art. 59.1) permitted the simultaneous publication of separate names for the asexual and sexual morphs of a single taxon. However, the lack of a Latin diagnosis or description means that Marcelino et al.'s (2008) *Colletotrichum* name is invalid (McNeill et al. 2012: Art 39.1).

Within *Colletotrichum acutatum* sensu lato, Shivas & Tan (2009) identified a separate clade ("formerly *C. acutatum* group C [of Lardner et al. 1999] or A3 [of Sreenivasaprasad & Talhinhas 2005]"), for which they proposed that the two varietal names of Marcelino et al. (2008) should be raised to species rank

as "*C. fioriniae*" (anamorph) and "*G. fioriniae*" (teleomorph). Unfortunately, both of these names are invalid: the proposal of "*Colletotrichum fioriniae*" cites (with a full and direct reference) the invalid name "*C. acutatum* var. *fioriniae*" as its "basionym", and fails to supply the required Latin diagnosis or description; the proposal of "*Glomerella fioriniae*" fails to provide the required full and direct reference to its basionym (McNeill et al. 2012: Art 41.5) and indeed does not clearly indicate the name of its basionym (although in subsequent discussion, *G. acutata* var. *fioriniae* is mentioned in passing).

This leaves *Glomerella acutata* var. *fioriniae* as the only valid name available for the taxon.

The species has been widely treated under the invalid name "*Colletotrichum fioriniae*" in recent taxonomic and phytopathological literature (e.g., Baroncelli et al. 2015; Bragança et al. 2016; Damm et al. 2012; Garibaldi et al. 2016; Hyde et al. 2009; Ivic et al. 2013; Kasson et al. 2014; Kou et al. 2014; Liu et al. 2016; Munda 2014, 2016; Oo et al. 2016; Pszczółkowska et al. 2016; Sun et al. 2012; Zhu et al. 2015). A valid *Colletotrichum* name is an urgent necessity, because *Colletotrichum* 1831, rather than *Glomerella* 1903, has been selected as the preferred holomorphic genus name (Réblová et al. 2016: 135).

This unsatisfactory situation is easily remedied under the current International Code of Nomenclature for algae, fungi, and plants (ICN (Melbourne); McNeill et al. 2012: Art. 59), in which the separation between "anamorph" and "teleomorph" names has been abolished. Here, I propose the name *Colletotrichum fioriniae*, with basionym *Glomerella acutata* var. *fioriniae*.

Taxonomy

Colletotrichum fioriniae (Marcelino & Gouli) Pennycook, **comb. & stat. nov.**

IndexFungorum IF 553097

≡ *Glomerella acutata* var. *fioriniae* Marcelino & Gouli, in Marcelino et al., Mycologia 100: 362. 2008.

Holotype: USA, New York, Westchester, Ward Pound Ridge Reserve, from mummified adult *Fiorinia externa* Ferris (*Insecta*, *Diaspididae*), "liquid-preserved perithecia (90% ethanol) produced by crossing *Colletotrichum acutatum* var. *fiorinia* [sic] strains EHS_{58} × EHS_{58} as well as mature mycelium of strain EHS_{58} in PDA agar cubes", 2005, J. Marcelino & S. Gouli (Worldwide Collection of Entomopathogenic Fungi, Entomology Research Laboratory, University of Vermont, Burlington VT, USA; ex-type culture, CBS 128517 = ARSEF 10222).

"*Colletotrichum acutatum* var. *fioriniae*" Marcelino & Gouli, Mycologia 100: 365. 2008, nom. inval. (no Latin diagnosis or description; ICN (Melbourne) Art. 39.1).

"*Colletotrichum fioriniae*" R.G. Shivas & Y.P. Tan, Fungal Diversity 39: 117. 2009, nom. inval. (no Latin diagnosis or description; ICN (Melbourne) Art. 39.1).

"*Glomerella fioriniae*" R.G. Shivas & Y.P. Tan, Fungal Diversity 39: 117. 2009, nom. inval. (no full and direct reference to basionym; ICN (Melbourne) Art. 41.5).

Discussion

The validation of *Colletotrichum fioriniae* as a comb. & stat. nov. has been preferred because it recognizes the existence of the valid basionym in *Glomerella*. Alternatively, the name could have been validated as a sp. nov., since the varietal name in *Glomerella* does not have priority at specific rank.

Acknowledgments

I wish to thank Paul Kirk and Tom May for helpful discussions and for pre-submission refereeing, and Bevan Weir for advice on the International Subcommission on *Colletotrichum* Taxonomy's acceptance of *Colletotrichum* as the preferred generic name.

Literature cited

Baroncelli R, Zapparata A, Sarrocco S, Sukno SA, Lane CR, Thon MR, Vannacci G, Holub E, Sreenivasaprasad S. 2015. Molecular diversity of anthracnose pathogen populations associated with UK strawberry production suggests multiple introductions of three different *Colletotrichum* species. PLoS ONE 10(6): e0129140. https://doi.org/10.1371/journal.pone.0129140

Bragança CAD, Damm U, Barocelli R, Massola Júnior NS, Crous PW. 2016. Species of the *Colletotrichum acutatum* complex associated with anthracnose diseases of fruit in Brazil. Fungal Biology 120(4): 547–561. https://doi.org/10.1016/j.funbio.2016.01.011

Damm U, Cannon PF, Woudenberg JHC, Crous PW. 2012. The *Colletotrichum acutatum* species complex. Studies in Mycology 73: 37–113. https://doi.org/10.3114/sim0010

Garibaldi A, Gilardi G, Franco-Ortega S, Gullino ML. 2016. First report of leaf spot caused by *Colletotrichum fioriniae* on Mexican bush sage (*Salvia leucantha*) in Italy. Plant Disease 100(3): 654. https://doi.org/10.1094/PDIS-09-15-1001-PDN

Hyde KD, Cai L, Cannon PF, Crouch JA, Crous PW, Damm U, Goodwin PH, Chen H, Johnston PR, Jones EBG, Liu ZY, McKenzie EHC, Moriwaki J, Noireung P, Pennycook SR, Pfenning LH, Prihastuti H, Sato T, Shivas RG, Tan YP, Taylor PWJ, Weir BS, Yang YL, Zhang JZ. 2009. *Colletotrichum* – names in current use. Fungal Diversity 39: 147–182.

Ivic D, Voncina D, Sever Z, Simon S, Pejic I. 2013. Identification of *Colletotrichum* species causing bitter rot of apple and pear in Croatia. Journal of Phytopathology 161(4): 284–286. https://doi.org/10.1111/jph.12039

Kasson MT, Pollok JR, Benhase EB, Jelesko JG. 2014. First report of seedling blight of eastern poison ivy (*Toxicodendron radicans*) by *Colletotrichum fioriniae* in Virginia. Plant Disease 98(7): 995. https://doi.org/10.1094/PDIS-09-13-0946-PDN

Kou LP, Gaskins V, Luo YG, Jurick WM. 2014. First report of *Colletotrichum fioriniae* causing postharvest decay on 'Nittany' apple fruit in the United States. Plant Disease 98(7): 993. https://doi.org/10.1094/PDIS-08-13-0816-PDN

Lardner R, Johnston PR, Plummer KM, Pearson MN. 1999. Morphological and molecular analysis of *Colletotrichum acutatum* sensu lato. Mycological Research 103: 275–285. https://doi.org/10.1017/S0953756298007023

Liu LP, Yang LY, Liu YN, Yang LN, Lu BH, Yu L, Jin XS, Wang X, Yang C, Li Y, Gao J, Hsiang T. 2016. First report of anthracnose disease caused by *Colletotrichum fioriniae* on barbary wolfberry in China. Plant Disease 100(12):, 2534. https://doi.org/10.1094/PDIS-06-16-0930-PDN

Marcelino J, Giordano R, Gouli S, Gouli V, Parker BL, Skinner M, TeBeest D, Cesnik R. 2008. *Colletotrichum acutatum* var. *fioriniae* (teleomorph: *Glomerella acutata* var. *fioriniae* var. nov.) infection of a scale insect. Mycologia 100(3): 353–374. https://doi.org/10.3852/07-174R

McNeill J, Barrie FR, Burdet HM, Demoulin V, Hawksworth DL, Marhold K, Nicolson DH, Prado J, Silva PC, Skog JE, Wiersema JH, Turland NJ. 2006. International Code of Botanical Nomenclature (Vienna Code). Regnum Vegetabile 146. http://www.iapt-taxon.org/icbn/main.htm

McNeill J, Barrie FR, Buck WR, Demoulin V, Greuter W, Hawksworth DL, Herendeen PS, Knapp S, Marhold K, Prado J, Prud'homme van Reine WF, Smith GF, Wiersema JH, Turland NJ. 2012. International Code of Nomenclature for algae, fungi, and plants (Melbourne Code). Regnum Vegetabile 154. http://www.iapt-taxon.org/nomen/main.php

Munda A. 2014. First report of *Colletotrichum fioriniae* and *C. godetiae* causing apple bitter rot in Slovenia. Plant Disease 98(9): 1282. https://doi.org/10.1094/PDIS-04-14-0419-PDN

Munda A. 2016. Outbreak of anthracnose on apricots caused by *Colletotrichum fioriniae* in Slovenia. New Disease Reports 33, 2. https://doi.org/10.5197/j.2044-0588.2016.033.002

Oo MM, Tweneboah S, Oh SK. 2016. First report of anthracnose caused by *Colletotrichum fioriniae* on Chinese matrimony vine in Korea. Mycobiology 44(4): 325–329. https://doi.org/10.5941/MYCO.2016.44.4.325

Pszczółkowska A, Okorski A, Paukszto Ł, Jastrzębski J. 2016. First report of anthracnose disease caused by *Colletotrichum fioriniae* on blueberry in western Poland Plant Disease 100(10): 2167. https://doi.org/10.1094/PDIS-04-16-0425-PDN

Réblová M, Miller AN, Rossman AY, Seifert KA, Crous PW, Hawksworth DL, Abdel-Wahab MA, Cannon PF, Daranagama DA, De Beer ZW, Huang SK, Hyde KD, Jayawardena R, Jaklitsch W, Jones EBG, Ju YM, Judith C, Maharachchikumbura SSN, Pang KA, Petrini LE, Raja HA, Romero AI, Shearer C, Senanayake IC, Voglmayr H, Weir BS, Wijayawarden NN. 2016. Recommendations for competing sexual-asexually typified generic names in *Sordariomycetes* (except *Diaporthales*, *Hypocreales*, and *Magnaporthales*). IMA Fungus 7(1): 131–153. https://doi.org/10.5598/imafungus.2016.07.01.08

Shivas RG, Tan YP. 2009. A taxonomic reassessment of *Colletotrichum acutatum*, introducing *C. fioriniae* comb. et stat. nov. and *C. simmondsii* sp. nov. Fungal Diversity 39: 111–122.

Sreenivasaprasad S, Talhinhas P. 2005. Genotypic and phenotypic diversity in *Colletotrichum acutatum*, a cosmopolitan pathogen causing anthracnose on a wide range of hosts. Molecular Plant Pathology 6(4): 361–378. https://doi.org/10.1111/j.1364-3703.2005.00291.x

Sun W, Su YY, Cai L, Sun W, Sha W. 2012. First report of leaf disease on *Cinnamomum subavenium* caused by *Colletotrichum fioriniae* in China. Plant Disease 96(1): 143. https://doi.org/10.1094/PDIS-07-11-0590

Zhu YZ, Liao WJ, Zou DX, Wu YJ, Zhou Y. 2015. First report of leaf spot disease on walnut caused by *Colletotrichum fioriniae* in China. Plant Disease 99(2): 289. https://doi.org/10.1094/PDIS-09-14-0938-PDN